

Agent for Single-Fiber Bidirectional 40G



Overview

The 40G QSFP+ BiDi Optical Transceiver is a high-performance, single-fiber solution designed for 40 Gigabit Ethernet (40GbE) and long-haul optical transmission. FS 40G QSFP+ optical transceiver module solutions offer a full range of QSFP+ modules from 150m to 80km reach, and used for high-density switching, routing and data center applications. Trusted by 260K+. The Cisco® 40GBASE QSFP (Quad Small Form-Factor Pluggable) portfolio offers customers a wide variety of high-density and low-power 40 Gigabit Ethernet connectivity options for data center, high-performance computing networks, enterprise core and distribution layers, and service provider. QSFP-40G-SR-BD is a 40G QSFP+ BiDi transceiver designed for short-reach connectivity over duplex multimode fiber using LC connectors. It enables 40GbE transmission with only two fibers, making it a practical alternative to QSFP-40G-SR4 in environments where fiber resources are limited or MPO. The YXF-QP-M85L-01D is a four-channel pluggable LC duplex QSFP+ fiber optic transceiver for 40 Gigabit Ethernet applications. It complies with the 40G Ethernet transmission protocol. When upgrading the network architecture from 10G to 40G, it can directly utilize the existing LC duplex.

Article Content

HP SFP-10G-BX-D-40 comp. 10G Singlemode BiDi 40km SFP+

Compatible Bi-directional 40km multi-rate SFP+ Transceiver for 10 Gigabit Ethernet and Fiber Channel over Single-mode 1330/1270nm. This SFP+ transceiver module sends and receives its data on two

Cisco 40GBASE QSFP Modules Data Sheet

This module can be used for native 40G optical links over 12-fiber ribbon cables with MPO/MTP connectors or in 4x10G mode with parallel-to-duplex fiber breakout cables for connectivity

40G QSFP+ Transceiver Modules | Optical Transceivers

FS 40G QSFP+ optical transceiver module solutions offer a full range of QSFP+ modules from 150m to 80km reach, and used for high-density switching, routing and data center applications.

40G BiDi QSFP Module 1310nm 40km

Product Overview The 40G QSFP+ BiDi Optical Transceiver is a high-performance, single-fiber solution designed for 40 Gigabit Ethernet (40GbE) and long-haul optical transmission.

40G BiDi QSFP+: Single-fiber Bidirectional Transmission

The YXFiber 's YXF-QP-M85L-01D transceiver internally multiplexes the XLPP| 4x10G interface into two 20Gb/s electrical channels, and uses bidirectional optical fibers for optical

40G BiDi QSFP Module 1310nm 40km

Utilizing advanced WDM (Wavelength Division Multiplexing) technology, this module enables bidirectional 40G communication over a single fiber strand with an extended 40km reach, making it

40G QSFP+ SR BiDi VCSEL 850nm/900nm 150m MMF

FIBERSTAMP 40G QSFP+ SR BiDi optical transceiver is designed for short-distance interconnection between devices within data centers. It complies with the 40G

Introduction of 40G BiDi QSFP+ dual fiber bidirectional

QSFP-40G-SR-BD introduction The interface type of the QSFP-40G-SR-BD optical module is a dual-fiber LC interface, the working wavelength is

QSFP-40G-BiDi vs QSFP-40G-SR4, which to choose?

Unlike QSFP-40G-SR4, QSFP-40G-SR-BD has four 10Gbps signal channels which are converted to two bidirectional channels of 20Gbps signals.

Brocade® 40 Gb/s SR QSFP+ Bi-Directional Optical Transceiver

The Brocade® 40 Gb/s SR Bi-Directional QSFP+ optical transceivers provide state-of-the-art performance, helping IT organizations achieve new levels of infrastructure consolidation while

BiDi Optical Modules: Unlocking Single-Fiber

Comprehensive guide on BiDi Optical modules, detailing single-fiber bidirectional connectivity, deployment tips, troubleshooting, and multi-speed

The Complete Guide to BiDi Transceiver

What Is BiDi Transceiver? BiDi transceivers have become synonymous with reliable and high-performance networking, which can achieve

40G and 100G BiDi Transceivers: A Cost-effective

Featured with transmitting and receiving signals over a single strand of fiber, 40G and 100G BiDi transceivers have emerged as a cost-effective solution

40G QSFP+ SR BiDi VCSEL 850nm/900nm 150m

When upgrading the network architecture from 10G to 40G, it can directly utilize the existing LC duplex cabling infrastructure without the need for additional MPO

FS 40G QSFP BiDi Transceiver Solution

As to the migration from 10G to 40G, this article will introduce a cost-effective solution — 40G quad small form-factor pluggable (QSFP) bidirectional (BiDi) transceiver solution.

QSFP+ 40G Optical Transceivers,40G Fiber Optic Transceiver

40G QSFP+ BIDI optical transceiver module is a pluggable optical transceiver with a duplex LC connector interface for short-reach data communication and interconnect applications using Multi

Experimental demonstration of 100 Gb/s single-fiber bidirectional ...

Abstract We experimentally demonstrate 100 Gb/s bidirectional transmission over 40 km using a multi-wavelength bidirectional optical sub-assembly (BOSA) based on a single bidirectional multi

CC-QJ110L-SD 40G QSFP+ BIDI Transceiver

Utilizes dual-wavelength VCSEL technology (850nm/908nm) for efficient bidirectional data transfer in a single fiber. Converts 4×10G NRZ

Single-Fiber Bidirectional Transmission using 400G ...

We experimentally evaluate the Rayleigh Back-Scattering power penalty in a single-fiber single-wavelength bidirectional link using coherent digital subcarrier-based transceivers and verify a ...

Discover the Power of Cisco® QSFP-40G-SR-BD

The Cisco® QSFP-40G-SR-BD is a short-reach transceiver that relies on bidirectional technology for the purpose of accommodating 40 Gbps Ethernet

QSFP-40G-SR-BD (Single-Fiber-Bidirectional Module)

This document provides an overall description of the CE5800& 6800& 7800& 8800 series switches hardware that versions earlier than V200R020C00, helping you obtain detailed information about

40G SR BiDi, 40G/100G SR BiDi, 100G SR1.2 and 400G

AscentOptics' 40G SR BD and 100G SR BD series products employ multi-mode single fiber bi-directional optical transceiver design, providing excellent solutions

40G BiDi | Fiber Solution

Cisco 40G BiDirectional technology uses 2 parallel multi-mode fiber strands to transmit the signal bidirectionally instead of unidirectional. This quadruples the speed and allows for cost effective

40G BiDi QSFP+ 150m MMF | Two-Fiber | EDGEOPTIC

EDGEOPTIC 40G BiDi QSFP+ transceiver: 150m OM4 multimode fiber, 850/900nm wavelengths, 2dB link budget, 41.25 Gbps. Two-fiber 40G solution, 0-70°C.

SFP Single Fiber 40 km transceiver | Cisco Compatible

40 km Single Fiber SFP | PSFP-11DB55K040 PSFP-11DB55K040 40 km Single Fiber SFP Platinum transceiver for 1G Ethernet. Cisco Compatible single strand

QSFP 40G SR BD: 40G QSFP+ BiDi Transceiver Explained

Summary: QSFP-40G-SR-BD is a fiber-saving 40G solution that combines short-reach multimode operation with bidirectional signaling. It sits between traditional SR4 and LR4 modules, offering

10G BiDi SFP+ 40km | Tx1270/Rx1330 | Single Fiber Compatible

Compatible 10G BiDi SFP+ for 40km single fiber. Tx1270/Rx1330nm, 16dB budget, 50% fiber savings. Works with 80+ brands.

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://fivesunsecoenergy.fr>

Email: sales@fivesunsecoenergy.fr

Phone: +33 6 41 83 57 29

Address: 5 Rue de la Bourse, 75002 Paris, France

This document is for informational purposes only. Specifications subject to change without notice.

