

Door-to-door transport single-fiber bidirectional 40G



Overview

The QSFP-4040-ER4 is a 40G ER4 single-mode multi-rate QSFP+ transceiver using 4 CWDM wavelengths running 1271 ~ 1331nm and reaching up to 40Km distance on single-mode 9/125um fiber. Each CWDM channel runs 10G and they are aggregated on a built-in mux/demux inside the QSFP module. FS 40G QSFP+ optical transceiver module solutions offer a full range of QSFP+ modules from 150m to 80km reach, and used for high-density switching, routing and data center applications. It enables 40GbE transmission with only two fibers, making it a practical alternative to QSFP-40G-SR4 in environments where fiber resources are limited or MPO. The 1000BASELX SM SFP 40KM is a Gigabit single-mode SFP (mini-GBIC) transceiver with an LC style connector. Operating at a 1310nm wavelength, it supports 1000BaseLX Ethernet over single-mode fiber for extended distances up to 40 kilometers. Features 4 CWDM lanes MUX/DEMUX design Up to 11.

Article Content

SFP Single Fiber 40 km transceiver | 1G Ethernet

OptoSpan 40 km Single Fiber SFP transceiver for 1G Ethernet. 1Gb single strand bidirectional SFP transceiver for single-mode fiber. Details: This advanced 20dB transceiver is designed for highly

SFP Single Fiber 40 km transceiver | Cisco Compatible

PSFP-11DB55K040 40 km Single Fiber SFP Platinum transceiver for 1G Ethernet. Cisco Compatible single strand bidirectional SFP transceiver Details: This

40GBASE-ER4 QSFP+ Transceiver | 40km SMF

Our 40GBASE-ER4 QSFP+ transceiver enables ultra-long-reach connectivity for service provider networks. Supporting 40km transmission over single-mode fiber

100G QSFP28 ZR4 Bidi Make 100G/40G Single Fiber 80km Distance

Etern Optoelectronics has expanded its lineup of transceivers for 100Gbps transmission, and has started selling the new model 100G QSFP28 ZR4 BiDi, which extends transmission distance

40G Optical Transceivers and Cables Portfolio | FS

The series of product adopts LC or MTP/MPO connector and operates over Single Mode or Multimode optical fiber. They can be used for connections from 150m up to 40km and are suitable for 40G

Comprehensive Guide to FS 10G BiDi SFP Modules

Enter the 10G BiDi (bidirectional) SFP+ module —an elegant solution that enables full-duplex communication over a single fiber strand using

Single Mode

Teroline QSFP+ module for 40G Ethernet applications over single mode optical fiber. The module can be used with any network device that accepts standard MSA transceivers - e.g. D-Link, Zyxel,

SFP optical transceivers

This category includes all types of multi-rate SFP 155M to 4.25G transceivers over one strand of SMF, BiDirectional operation (two wavelengths on same fiber).

Reduce fiber count for 10G backhaul traffic using QSFP+ 40G 40km

ProLabs' new QSFP+ 40G 40km 4x10G Bidi transceivers extend the life of legacy QSFP ports in the field while providing flexibility for service upgrades over existing fiber infrastructure. The

40G vs. 100G BiDi Transceivers, What is The Difference

The Application of QSFP 40G SR BD and QSFP28 100G SR BD The adoption of 40G and 100G BiDi transceivers is rising, particularly in data centers. This trend

Panduit Cable Ordering Guide For Cisco 40G Optics

The QSFP-40G-SR-BD BiDirectional (BiDi) transceiver is a pluggable optical transceiver with a duplex LC connector interface for short-reach data communication and interconnect applications using

Cisco 1000BASE-BX40-D for 40km Single-Fiber Bidirectional GLC

Cisco 1000BASE-BX40-D for 40km Single-Fiber Bidirectional Applications; with DOM - For Data Networking, Optical Network - 1 x LC/PC 1000Base-BX40-D Network1 The Cisco GLC-BX40-D-I,

Cisco SFP-10G-BXD-I Datasheet

Cisco SFP-10G-BXD-I and SFP-10G-BXU-I for 10Km (single-fiber bidirectional applications) The Cisco SFP-10G-BXD-I and SFP-10G-BXU-I SFPs operate on a single strand of standard SMF.

QSFP 40G SR BD: 40G QSFP+ BiDi Transceiver Explained

Summary: QSFP-40G-SR-BD is a fiber-saving 40G solution that combines short-reach multimode operation with bidirectional signaling. It sits between traditional SR4 and LR4 modules, offering

10G SFP+ BiDi 10□80km Single-fiber Bidirectional

The GIGALIGHT's 10G BiDi SFP+ series of optical transceiver modules are widely used in 10G Ethernet and Optical Transport Networks (OTN OTU2e), and are

40G QSFP+ Transceiver Modules | Optical Transceivers

Click to get your 40G QSFP+ transceiver modules from nearby warehouses. 30-Day Free Return. Trusted by 260K+ Enterprise Users.

40G BiDi QSFP+ 150m MMF | Two-Fiber | EDGEOPTIC

EDGEOPTIC 40G BiDi QSFP+ transceiver: 150m OM4 multimode fiber, 850/900nm wavelengths, 2dB link budget, 41.25 Gbps. Two-fiber 40G solution, 0-70°C.

Avago introduced high-speed data center with 40G BiDi MMF QSFP ...

For wired, wireless, storage, and industrial applications of analog interface components supplier Avago Tech today the launch of its high-speed data center applications for 40G multimode fiber Bidirectional

SFP Transceiver

The 1000BASELX SM SFP 40KM is a Gigabit single-mode SFP (mini-GBIC) transceiver with an LC style connector. Operating at a 1310nm wavelength, it supports 1000BaseLX Ethernet over single-mode

QSFP+ 40G Optical Transceivers, 40G Fiber Optic Transceiver

40G QSFP+ BiDi optical transceiver module is a pluggable optical transceiver with a duplex LC connector interface for short-reach data communication and interconnect applications using Multi

1000BASE-BX SFP 40km Side B | Single Fiber | EDGEOPTIC

EDGEOPTIC 1000BASE-BX SFP Side B: 40km SMF, 1550/1310nm BiDi, 21dB link budget, 100M-1.25G rates. LC/UPC connector, 0-70°C operation. Pair with Side A.

40G QSFP+ ZR4 80KM LC Optical Transceiver

The 40G QSFP+ ZR4 80KM LC Optical Transceiver delivers industry-leading 80km single-mode fiber transmission using EML laser and APD receivers. For carrier-grade 5G transport, metro DCI, and

40G QSFP+ ER4 40Km CWDM Transceiver

Buy the QSFP-4040-ER4: a 40G QSFP+ ER4 transceiver with CWDMx4 wavelengths, 40Km single-mode reach, LC connectors, and DDM. Ideal for

Experimental demonstration of 100 Gb/s single-fiber bidirectional ...

It experimentally achieves 100 Gb/s bidirectional transmission over 40 km. Using certain wavelengths in the O-band with no four-wave mixing penalty, it enables the transmission of 2x50 Gb/s PAM4 signals

40G BiDi QSFP Module 1310nm 40km

Utilizing advanced WDM (Wavelength Division Multiplexing) technology, this module enables bidirectional 40G communication over a single fiber strand with an extended 40km reach, making it

40G and 100G BiDi Transceivers: A Cost-effective

Featured with transmitting and receiving signals over a single strand of fiber, 40G and 100G BiDi transceivers have emerged as a cost-effective solution

HP SFP-10G-BX-D-40 comp. 10G Singlemode BiDi 40km SFP+

Compatible Bi-directional 40km multi-rate SFP+ Transceiver for 10 Gigabit Ethernet and Fiber Channel over Single-mode 1330/1270nm. This SFP+ transceiver module sends and receives its data on two

Experimental demonstration of 100 Gb/s single-fiber bidirectional ...

Abstract We experimentally demonstrate 100 Gb/s bidirectional transmission over 40 km using a multi-wavelength bidirectional optical sub-assembly (BOSA) based on a single bidirectional multi

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://fivesunsecoenergy.fr>

Email: sales@fivesunsecoenergy.fr

Phone: +33 6 41 83 57 29

Address: 5 Rue de la Bourse, 75002 Paris, France

This document is for informational purposes only. Specifications subject to change without notice.

